

# FLOS

F6607004 Silver

## Taccia (PMMA)

Designed by Achille and Pier Giacomo Castiglioni, 1962


28W - 2700K



Table lamp providing indirect and reflected light. Reflector in painted aluminium, gloss white on the outside and matt white on the inside. Directionable diffuser in transparent PMMA. Body in matt black or naturally anodized extruded aluminium. Base in nickel-plated metal. Electric cable of useful length 220 cm, with dimmer switch for ON/OFF and adjustment of the light flow between 10-100%. Plug-in power supply with interchangeable plugs.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



### Main specifications

Mounting	Table floor
Environments	Indoor dry location
Light Source Type	LED
LED type	LED array
Power (W)	28

### Physical


Colour	Silver
Length (mm)	190
Cord length (mm)	2200
Net weight (kg)	7.6
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.18
IP internal	20

### Download


Mounting instructions	PDF
Mounting instructions	PDF
Spare Parts	PDF

### Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user



IP
20


## Photometric

Lighting type	Indirect
Light distribution	Asymmetric
CCT (K)	2700

## Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240/48
LED voltage Vf (Vdc)	null
Driver	Remote included
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	No

## Spare Parts



- |     |  |           |
|-----|--|-----------|
| 01. | Taccia LED transparent diffuser & reflector (PMMA) | F6609000  |
| 02. | White reflector                                    | RF00780   |
| 03. | Anodized silver base                               | F6608004  |
| 04. | Jack plug with cable and push dimmer               | RF6608100 |
| 05. | Black plug assembly kit & 48V driver               | RF3320400 |

**DOWNLOAD**



F6609000  
Taccia LED transparent diffuser &  
reflector (PMMA)



RF00780  
White reflector



F6608004  
Anodized silver base



RF6608100  
Jack plug with cable and push  
dimmer



RF3320400  
Black plug assembly kit & 48V  
driver